

CUSDEC Customs Declaration Message

Introduction:

This Customs Declaration Message (CUSDEC) permits the transfer of data from a declarant to a customs administration for the purpose of meeting legislative and/or operational requirements in respect of the declaration of goods for import, export or transit. The message may also be used, for example :

- to transmit data from an exporter in one country to an importer in another country;
- to transmit consignment data from one customs administration to another;
- to transmit data from a customs authority to other governments agencies and/or interested administrations.
- to transmit data from a declarant to the appropriate data collection agency on the movement of goods between statistical territories.

Heading Section:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Group Repeat</u>	<u>Notes and Comments</u>
M	0010	UNH	Message Header	M	1		
M	0020	BGM	Beginning of Message	M	1		
	0030	CST	Customs Status of Goods	C	1		
	0040	LOC	Place/Location Identification	C	99		
	0050	DTM	Date/Time/Period	C	15		
	0060	GEI	Processing Information	C	25		
	0080	MEA	Measurements	C	5		
	0100	SEL	Seal Number	C	999		
	0120		Segment Group 1: RFF	C		99	
M	0130	RFF	Reference	M	1		
	0200		Segment Group 4: TDT	C		5	
M	0210	TDT	Transport Information	M	1		
	0270		Segment Group 6: NAD-RFF-CTA	C		99	
M	0280	NAD	Name and Address	M	1		
	0290	RFF	Reference	C	10		
	0300	CTA	Contact Information	C	1		
	0320		Segment Group 7: TOD-LOC	C		1	
M	0330	TOD	Terms of Delivery or Transport	M	1		
	0340	LOC	Place/Location Identification	C	2		
	0360		Segment Group 8: MOA	C		25	
M	0370	MOA	Monetary Amount	M	1		
M	0480	UNS	Section Control	M	1		
	0490		Segment Group 11: DMS-SG22	C		999	
M	0500	DMS	Document/Message Summary	M	1		
	0880		Segment Group 22: LIN-PIA-QTY-PRI -MEA-MOA-NAD-GIR-LOC-SG23-SG28 -SG29	C		9999	
M	0890	LIN	Line Item	M	1		

	0900	PIA	Additional Product Id	C	1	
	0910	QTY	Quantity	C	1	
	0920	PRI	Price Details	C	2	
	0940	MEA	Measurements	C	15	
	0960	MOA	Monetary Amount	C	15	
	0970	NAD	Name and Address	C	10	
	0980	GIR	Related Identification Numbers	C	9999	
	1000	LOC	Place/Location Identification	C	1	
	1010		Segment Group 23: DOC-DTM	C		10
M	1020	DOC	Document/Message Details	M	1	
	1030	DTM	Date/Time/Period	C	2	
	1210		Segment Group 28: IMD	C		5
M	1220	IMD	Item Description	M	1	
	1240		Segment Group 29: PAC	C		10
M	1250	PAC	Package	M	1	

Section Control:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Group Repeat</u>	<u>Notes and Comments</u>
M	2080	UNS	Section Control	M	1		

Detail Section:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Group Repeat</u>	<u>Notes and Comments</u>
	2090	CNT	Control Total	C	5		
M	2170	UNT	Message Trailer	M	1		

Segment: **UNH** Message Header
Position: 0010
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A service segment starting and uniquely identifying a message. The message type code for the Customs declaration message is CUSDEC.
Note: Customs declaration messages conforming to this document must contain the following data in segment UNH, composite S009:
Data element 0065 CUSDEC 0052 D 0054 07A 0051
UN

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	0062		MESSAGE REFERENCE NUMBER Unique message reference assigned by the sender.	M 1 an..14
M	S009		MESSAGE IDENTIFIER Identification of the type, version etc. of the message being interchanged.	M 1
M		0065	Message type identifier Code identifying a type of message and assigned by its controlling agency. CUSDEC Customs declaration message A code to identify the customs declaration message.	M an..6
M		0052	Message type version number Version number of a message type. D Draft version/UN/EDIFACT Directory Message approved and issued as a draft message (Valid for directories published after March 1993 and prior to March 1997). Message approved as a standard message (Valid for directories published after March 1997).	M an..3
M		0054	Message type release number Release number within the current message type version number (0052). 07A Release 2007 - A Message approved and issued in the first 2007 release of the UNTDID (United Nations Trade Data Interchange Directory).	M an..3
M		0051	Controlling agency Code identifying the agency controlling the specification, maintenance and	M an..2

publication of the message type.

UN

UN/CEFACT

United Nations Centre for Trade Facilitation and
Electronic Business (UN/CEFACT).

0057 Association assigned code C an..6

Code, assigned by the association responsible for the design and
maintenance of the message type concerned, which further identifies the
message.

0068 COMMON ACCESS REFERENCE C 1 an..35

Reference serving as a key to relate all subsequent transfers of data to the
same business case or file.

Segment: **BGM** Beginning of Message
Position: 0020
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the declaration type and reference.
Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>	
C002		DOCUMENT/MESSAGE NAME	C	1
		Identification of a type of document/message by code or name. Code preferred.		
	1001	Document name code	C	an..3
		Code specifying the document name.		
		950 Goods declaration for Customs transit		
		Document/message by which the sender declares goods for Customs transit according to Annex E.1 (concerning Customs transit) to the Kyoto convention (CCC).		
C106		DOCUMENT/MESSAGE IDENTIFICATION	C	1
		Identification of a document/message by its number and eventually its version or revision.		
	1004	Document identifier	C	an..35
		To identify a document.		
1225		MESSAGE FUNCTION CODE	C	1 an..3
		Code indicating the function of the message.		
		1 Cancellation		
		Message cancelling a previous transmission for a given transaction.		
	5 Replace			
	Message replacing a previous message.			
	9 Original			
	Initial transmission related to a given transaction.			

Segment: **CST** Customs Status of Goods
Position: 0030
Group:
Level: 0
Usage: Conditional (Optional)
Max Use: 1
Purpose: A segment identifying the customs procedure and status of the goods relevant to the whole message.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
	C246		CUSTOMS IDENTITY CODES Specification of goods in terms of customs identity.	C 1
M		7361	Customs goods identifier Code identifying the goods for customs.	M an..18
	C246		CUSTOMS IDENTITY CODES Specification of goods in terms of customs identity.	C 1
M		7361	Customs goods identifier Code identifying the goods for customs.	M an..18

Segment: **LOC** Place/Location Identification
Position: 0040
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment identifying a place or location relevant to the entire message. For example, port of loading, office of entry, etc.

Dependency Notes:

Semantic Notes:

Comments:

Data Element Summary

	Data	Component		
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	3227		LOCATION FUNCTION CODE QUALIFIER	M 1 an..3
			Code identifying the function of a location.	
		28	Country of destination of goods	
			Country to which the goods are to be delivered.	
		35	Exportation country	
			[3220] Country from which the goods were initially exported to the importing country without any commercial transaction taking place in intermediate countries. Synonym: Country whence consigned.	
			Country of despatch: Country from which goods are despatched between countries of a Customs union.	
	C517		LOCATION IDENTIFICATION	C 1
			Identification of a location by code or name.	
		3225	Location identifier	C an..35
			To identify a location.	

Segment: **DTM** Date/Time/Period
Position: 0050
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 15
Purpose: A segment identifying dates, times or periods relevant to the whole message. For example, actual date of arrival, elected date of presentation, etc.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data Element	Component Element	Name	Attributes	
				M	1
M	C507		DATE/TIME/PERIOD	M	1
			Date and/or time, or period relevant to the specified date/time/period type.		
M		2005	Date or time or period function code qualifier	M	an..3
			Code qualifying the function of a date, time or period.		
		129	Exportation date		
			[2043] Date when the imported vessel/merchandise last left the country of export for the country of import.		
		137	Document issue date time		
			[2007] Date that a document was issued and when appropriate, signed or otherwise authenticated.		
		151	Importation date		
			Date on which goods are imported, as determined by the governing Customs administration.		
		2380	Date or time or period text	C	an..35
			The value of a date, a date and time, a time or of a period in a specified representation.		
		2379	Date or time or period format code	C	an..3
			Code specifying the representation of a date, time or period.		
		102	CCYYMMDD		
			Calendar date: C = Century ; Y = Year ; M = Month ; D = Day.		
		203	CCYYMMDDHHMM		
			Calendar date including time with minutes: C=Century; Y=Year; M=Month; D=Day; H=Hour; M=Minutes.		

Segment: **GEI** Processing Information
Position: 0060
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 25
Purpose: A segment identifying the various indicators required by a customs system. For example, special programs, release certification, duty free eligibility under GSP, etc.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
M	9649		PROCESSING INFORMATION CODE QUALIFIER	M	1 an..3
			Code qualifying the processing information.		
		1	Entity asset reporting		
			To convey information related to the reporting of assets held by an entity.		
	C012		PROCESSING INDICATOR	C	1
			Identification of the processing indicator.		
		7365	Processing indicator description code	C	an..3
			Code specifying a processing indicator.		
		22	Export		
			Goods are being taken out of the Customs territory.		
		23	Import		
			Goods are being taken into a Customs territory.		

Segment: **MEA** Measurements
Position: 0080
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 5
Purpose: A segment identifying various measurement factors where these are required for the whole declaration (message).

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data	Component			Attributes
	Element	Element			
M	6311		MEASUREMENT PURPOSE CODE QUALIFIER		M 1 an..3
			Code qualifying the purpose of the measurement.		
		WT	Weights		
			The measured attribute is weight.		
	C502		MEASUREMENT DETAILS		C 1
			Identification of measurement type.		
		6313	Measured attribute code		C an..3
			Code specifying the attribute measured.		
		AAD	Consignment gross weight		
			[6012] Total gross weight (mass) of all goods items referred to as one consignment including packaging but excluding any transport equipment.		
	C174		VALUE/RANGE		C 1
			Measurement value and relevant minimum and maximum values of the measurement range.		
M	6411		Measurement unit code		M an..8
			Code specifying the unit of measurement.		
		6314	Measure		C an..18
			To specify the value of a measurement.		

Segment: **SEL** Seal Number
Position: 0100
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 999
Purpose: A segment identifying Customs seals used in the transport of goods related to the whole declaration (message).

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
9308		TRANSPORT UNIT SEAL IDENTIFIER	C 1 an..35
		The identification number of a seal affixed to a transport unit.	

Group: **RFF** Segment Group 1: Reference
Position: 0120
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 99
Purpose: A group of segments identifying various references, manifest quantities and package identities relevant to the whole message.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
M	0130	RFF	Reference	M	1	

Segment: **RFF** Reference
Position: 0130 (Trigger Segment)
Group: Segment Group 1 (Reference) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the various references relevant to the whole message.
Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data	Component		Attributes
	Element	Element		
M	C506		REFERENCE Identification of a reference.	M 1
M		1153	Reference code qualifier Code qualifying a reference.	M an..3
		AMJ	Payment plan reference A number which uniquely identifies a payment plan.	
		ARN	Original filing number A number assigned to the original filing.	
		MRN	Mailing reference number Identifies the party designated by the importer to receive certain customs correspondence in lieu of its being mailed directly to the importer.	
		WE	Warehouse entry number Entry number under which imported merchandise was placed in a Customs bonded warehouse.	
		1154	Reference identifier Identifies a reference.	C an..70

Group: **TDT** Segment Group 4: Transport Information
Position: 0200
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 5
Purpose: A group of segments identifying the mode, means and identification of the transport used.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
M	0210	TDT	Transport Information	M	1	

Segment: **TDT** **Transport Information**
Position: 0210 (Trigger Segment)
Group: Segment Group 4 (Transport Information) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the mode and means of transport used.
Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data	Component		
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	8051		TRANSPORT STAGE CODE QUALIFIER	M 1 an..3
			Code qualifying a specific stage of transport.	
		1	Inland transport	
			Transport by which goods are moved from or to the frontier, or between inland points.	
		11	At border	
			Transport by which goods are moved to the Customs frontier.	
	8028		MEANS OF TRANSPORT JOURNEY IDENTIFIER	C 1 an..17
			To identify a journey of a means of transport.	
	C001		TRANSPORT MEANS	C 1
			Code and/or name identifying the type of means of transport.	
		8179	Transport means description code	C an..8
			Code specifying the means of transport.	
		8178	Transport means description	C an..17
			Free form description of the means of transport.	

Group: **NAD** Segment Group 6: Name and Address
Position: 0270
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 99
Purpose: A group of segments identifying the parties relevant to the whole message, with their related references, contacts, and communication numbers.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
M	0280	NAD	Name and Address	M	1	
	0290	RFF	Reference	C	10	
	0300	CTA	Contact Information	C	1	

Segment: **NAD** Name and Address
Position: 0280 (Trigger Segment)
Group: Segment Group 6 (Name and Address) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the parties relevant to the entire message. For example importer, ultimate consignee, etc.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data	Component	Name	Attributes
	Element	Element		
M	3035		PARTY FUNCTION CODE QUALIFIER	M 1 an..3
			Code giving specific meaning to a party.	
			BY Buyer [3002] Party to which merchandise or services are sold.	
			CB Customs broker Agent or representative or a professional Customs clearing agent who deals directly with Customs on behalf of the importer or exporter (CCC).	
			CZ Consignor [3336] Party which, by contract with a carrier, consigns or sends goods with the carrier, or has them conveyed by him. Synonym: shipper, sender.	
			DT Declarant [3140] Party which makes a declaration to an official body or - where legally permitted - in whose name, or on whose behalf, a declaration to an official body is made.	
			JD Customs office of clearance Identifies the office where customs clearance procedures take place.	
			ST Ship to Identification of the party to where goods will be or have been shipped.	
			SU Supplier Party who supplies goods and or services.	
	C082		PARTY IDENTIFICATION DETAILS	C 1
			Identification of a transaction party by code.	

M		3039 Party identifier	M	an..35	
		Code specifying the identity of a party.			
	C080	PARTY NAME	C	1	
		Identification of a transaction party by name, one to five lines. Party name may be formatted.			
M		3036 Party name	M	an..35	
		Name of a party.			
		3036 Party name	C	an..35	
		Name of a party.			
		3036 Party name	C	an..35	
		Name of a party.			
		3036 Party name	C	an..35	
		Name of a party.			
	C059	STREET	C	1	
		Street address and/or PO Box number in a structured address: one to four lines.			
M		3042 Street and number or post office box identifier	M	an..35	
		To identify a street and number and/or Post Office box number.			
		3042 Street and number or post office box identifier	C	an..35	
		To identify a street and number and/or Post Office box number.			
		3042 Street and number or post office box identifier	C	an..35	
		To identify a street and number and/or Post Office box number.			
		3042 Street and number or post office box identifier	C	an..35	
		To identify a street and number and/or Post Office box number.			
	3164	CITY NAME	C	1	an..35
		Name of a city.			
	C819	COUNTRY SUBDIVISION DETAILS	C	1	
		To specify a country subdivision, such as state, canton, county, prefecture.			
		3229 Country subdivision identifier	C	an..9	
		To identify a country subdivision, such as state, canton, county, prefecture.			
	3251	POSTAL IDENTIFICATION CODE	C	1	an..17
		Code specifying the postal zone or address.			
	3207	COUNTRY IDENTIFIER	C	1	an..3
		Identification of the name of the country or other geographical entity as defined in ISO 3166-1 and UN/ECE Recommendation 3.			

Segment: **RFF** Reference
Position: 0290
Group: Segment Group 6 (Name and Address) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 10
Purpose: A segment identifying references relating to the party specified within the group. For example, a special mailing request number for refunds relating to the customs transaction.

Dependency Notes:

Semantic Notes:

Comments:

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>	
	M	C506		REFERENCE	M
			Identification of a reference.		
M		1153	Reference code qualifier	M	an..3
			Code qualifying a reference.		
			AWO Related party		
			Reference of a related party.		
			TL Tax exemption licence number		
			Number assigned by the tax authorities to a party indicating its tax exemption authorization. This number could relate to a specified business type, a specified local area or a class of products.		
			VA VAT registration number		
			Unique number assigned by the relevant tax authority to identify a party for use in relation to Value Added Tax (VAT).		
		1154	Reference identifier	C	an..70
			Identifies a reference.		

Segment: **CTA Contact Information**
Position: 0300
Group: Segment Group 6 (Name and Address) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 1
Purpose: A segment identifying a contact person(s) or department(s) associated with the party specified in this group.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
3139		CONTACT FUNCTION CODE	C 1 an..3
		Code specifying the function of a contact (e.g. department or person).	
	DE	Department/employee to execute export procedures Department/employee which/who executes export procedures.	
	DI	Department/employee to execute import procedures Department/employee which/who executes import procedures.	
C056		CONTACT DETAILS	C 1
		Code and/or name of a contact such as a department or employee. Code preferred.	
	3413	Contact identifier	C an..17
		To identify a contact, such as a department or employee.	
	3412	Contact name	C an..256
		Name of a contact, such as a department or employee.	

Group: **TOD** Segment Group 7: Terms of Delivery or Transport
Position: 0320
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 1
Purpose: A group of segments identifying the terms of delivery pertinent to the entire message.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
M	0330	TOD	Terms of Delivery or Transport	M	1	
	0340	LOC	Place/Location Identification	C	2	

Segment: **TOD** **Terms of Delivery or Transport**
Position: 0330 (Trigger Segment)
Group: Segment Group 7 (Terms of Delivery or Transport) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying terms of delivery, relevant to the entire message, in a coded format.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>		
4055		DELIVERY OR TRANSPORT TERMS FUNCTION CODE	C	1	an..3
		Code specifying the function of delivery or transport terms.			
	5	Transport condition			
		Specifies the conditions under which the transport takes place under the responsibility of the carrier.			
C100		TERMS OF DELIVERY OR TRANSPORT	C	1	
		Terms of delivery or transport code from a specified source.			
	4053	Delivery or transport terms description code	C		an..3
		Code specifying the delivery or transport terms.			
		Refer to D.07A Data Element Dictionary for acceptable code values.			

Segment: **LOC** Place/Location Identification
Position: 0340
Group: Segment Group 7 (Terms of Delivery or Transport) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 2
Purpose: A segment identifying a location related to the terms of delivery identified in TOD.
Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	3227		LOCATION FUNCTION CODE QUALIFIER Code identifying the function of a location. <i>ZZZ</i> Mutually defined Place or location as agreed between the relevant parties.	M 1 an..3
	C517		LOCATION IDENTIFICATION Identification of a location by code or name.	C 1
		3225	Location identifier To identify a location.	C an..35

Group: **MOA** Segment Group 8: Monetary Amount
Position: 0360
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 25
Purpose: A group of segments identifying monetary amounts, currencies and their exchange rates, when required for the whole declaration.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
M	0370	MOA	Monetary Amount	M	1	

Segment: **MOA** Monetary Amount
Position: 0370 (Trigger Segment)
Group: Segment Group 8 (Monetary Amount) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying a monetary function and up to five monetary amounts.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data	Component	Attributes	
	<u>Element</u>	<u>Element</u>	<u>Name</u>	
M	C516		MONETARY AMOUNT	M 1
			Amount of goods or services stated as a monetary amount in a specified currency.	
M		5025	Monetary amount type code qualifier	M an..3
			Code qualifying the type of monetary amount.	
		1	VAT, 1st value	
			First VAT value if, for the same rate of VAT, there are 1 to 3 different ways to set this value.	
		18	Brokerage	
			Fee charged by a broker for acting on behalf of a third party.	
		43	Consignment for customs total amount	
			[5070] Total amount for customs purposes of all goods in a consignment, whether or not they are subject to the same customs procedure, and have the same tariff/statistical heading, country information and duty regime.	
		55	Duty amount	
			The amount of duty.	
		58	Fee amount	
			The amount of a fee.	
		70	Consignment to importation location insurance amount	
			[5488] Amount of premium payable to the insurance company to insure the goods to the port or place of importation.	
		72	Internal charges (Customs)	
			Charges incurred within a Customs territory (or a Customs union).	

81	<p>Loading and handling cost</p> <p>Cost incurred by loading and handling.</p>
104	<p>Other transport charges</p> <p>(5290) Other charges paid for transport.</p>
105	<p>Other valuation charges (Customs)</p> <p>Other valuation charges which are payable by reason of the importation or sale of the goods in the Customs territory.</p>
107	<p>Transport equipment total for customs packing cost amount</p> <p>[5448] Costs incurred for all containers and coverings of whatever nature which are considered as being one for Customs purposes with the goods, and the cost of packing whether for labour or material.</p>
121	<p>Shipment value in domestic currency</p> <p>The cost of transportation in domestic currency.</p>
124	<p>Tax amount</p> <p>Tax imposed by government or other official authority related to the weight/volume charge or valuation charge.</p>
144	<p>Transport charges (Customs)</p> <p>(5290) Cost incurred by shipper in moving goods, by whatever means, from one place to another under the terms of the contract of carriage, see UN/ECE Recommendation No 23. Synonym: freight charges (Customs).</p>
145	<p>Transport charges incurred outside Customs territory</p> <p>(5290) Transport charges incurred outside a Customs territory (or a Customs union).</p>
155	<p>Standard duty</p> <p>Standard Customs duty that would apply if special provisions did not apply.</p>
157	<p>Insurance value</p> <p>(5010) Value for which the goods are insured.</p>
160	<p>Other costs</p> <p>(5346) Costs, other than packing, freight and insurance costs, specified separately.</p>
286	<p>Administration charge</p> <p>Charge made for an administration activity.</p>
291	<p>Foreign inland freight</p> <p>The amount of inland freight incurred in delivering the goods to the place of export.</p>
304	<p>Other charges</p> <p>Miscellaneous charges.</p>

313	International freight The amount of freight paid for moving goods between place of export and place of import.		
320	Fee of intermediary Amount to be paid to an intermediary as a handling fee.		
337	Authorized cleaning charges excluded from insurance Indicates the amount of cleaning charges authorized which are not covered by insurance.		
<u>ZZZ</u>	Mutually defined Mutually defined monetary amount.		
5004	Monetary amount To specify a monetary amount.	C	n..35
6345	Currency identification code Code specifying a monetary unit.	C	an..3

Segment: **UNS** Section Control
Position: 0480
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A service segment placed at the beginning of the detail section to indicate the beginning of that section.

Dependency Notes:

Semantic Notes:

Comments:

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	0081		SECTION IDENTIFIER	M 1 a1
			A character identifying the next section in a message.	
		D	Header/detail section separation	
			To qualify the segment UNS, when separating the header from the detail section of a message.	

Group: **DMS** Segment Group 11: Document/Message Summary
Position: 0490
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 999
Purpose: A group of segments identifying line item details for a commercial document.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
M	0500	DMS	Document/Message Summary	M	1	
	0880		Segment Group 22: Line Item	C		9999

Segment: **DMS** Document/Message Summary
Position: 0500 (Trigger Segment)
Group: Segment Group 11 (Document/Message Summary) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the commercial document number, the document type and the number of detail lines within the document heading this group.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>	
C106		DOCUMENT/MESSAGE IDENTIFICATION	C	1
		Identification of a document/message by its number and eventually its version or revision.		
	1004	Document identifier	C	an..35
		To identify a document.		
C002		DOCUMENT/MESSAGE NAME	C	1
		Identification of a type of document/message by code or name. Code preferred.		
	1001	Document name code	C	an..3
		Code specifying the document name.		
	830	Goods declaration for exportation Document/message by which goods are declared for export Customs clearance, conforming to the layout key set out at Appendix I to Annex C.1 concerning outright exportation to the Kyoto convention (CCC). Within a Customs union, "for despatch" may have the same meaning as "for exportation".		
	929	Goods declaration for importation Document/message by which goods are declared for import Customs clearance [sister entry of 830].		

Group: **LIN** Segment Group 22: Line Item
Position: 0880
Group: Segment Group 11 (Document/Message Summary) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9999
Purpose: A group of segments identifying line item details for a commercial document.

Segment Summary

	Pos.	Seg.	Name	Req.	Max.	Group:
	No.	ID	Name	Des.	Use	Repeat
M	0890	LIN	Line Item	M	1	
	0900	PIA	Additional Product Id	C	1	
	0910	QTY	Quantity	C	1	
	0920	PRI	Price Details	C	2	
	0940	MEA	Measurements	C	15	
	0960	MOA	Monetary Amount	C	15	
	0970	NAD	Name and Address	C	10	
	0980	GIR	Related Identification Numbers	C	9999	
	1000	LOC	Place/Location Identification	C	1	
	1010		Segment Group 23: Document/Message Details	C		10
	1210		Segment Group 28: Item Description	C		5
	1240		Segment Group 29: Package	C		10

Segment: **LIN** Line Item
Position: 0890 (Trigger Segment)
Group: Segment Group 22 (Line Item) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the line item number and the item number identification of a particular commercial document line.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

Data Element	Component Element	Name	Attributes
1082		LINE ITEM IDENTIFIER To identify a line item.	C 1 an..6
C212		ITEM NUMBER IDENTIFICATION Goods identification for a specified source.	C 1
	7140	Item identifier To identify an item.	C an..35
	7143	Item type identification code Coded identification of an item type.	C an..3
	BP	Buyer's part number Reference number assigned by the buyer to identify an article.	
	PL	Purchaser's order line number Reference number identifying a line entry in a customer's order for goods or services.	

Segment: **PIA** Additional Product Id
Position: 0900
Group: Segment Group 22 (Line Item) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 1
Purpose: A segment identifying additional or substitutional item identification codes related to the information in LIN.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>	
M	4347		PRODUCT IDENTIFIER CODE QUALIFIER Code qualifying the product identifier.	M	1 an..3
		1	Additional identification Information which specifies and qualifies product identifications.		
M	C212		ITEM NUMBER IDENTIFICATION Goods identification for a specified source.	M	1
		7140	Item identifier To identify an item.	C	an..35
		7143	Item type identification code Coded identification of an item type.	C	an..3
		CC	Industry commodity code The codes given to certain commodities by an industry.		
		CV	Customs article number Code defined by Customs authorities to an article or a group of articles for Customs purposes.		
		HS	Harmonised system The item number is part of, or is generated in the context of the Harmonised Commodity Description and Coding System (Harmonised System), as developed and maintained by the World Customs Organization (WCO).		
		MN	Model number Reference number assigned by the manufacturer to differentiate variations in similar products in a class or group.		
		MP	Product/service identification number		

		Reference number identifying a product or service.		
	VP	Vendor's (seller's) part number		
		Reference number assigned by a vendor/seller identifying an article.		
C212	ITEM NUMBER IDENTIFICATION		C	1
		Goods identification for a specified source.		
	7140	Item identifier	C	an..35
		To identify an item.		
	7143	Item type identification code	C	an..3
		Coded identification of an item type.		
	CC	Industry commodity code		
		The codes given to certain commodities by an industry.		
	CV	Customs article number		
		Code defined by Customs authorities to an article or a group of articles for Customs purposes.		
	HS	Harmonised system		
		The item number is part of, or is generated in the context of the Harmonised Commodity Description and Coding System (Harmonised System), as developed and maintained by the World Customs Organization (WCO).		
	MN	Model number		
		Reference number assigned by the manufacturer to differentiate variations in similar products in a class or group.		
	MP	Product/service identification number		
		Reference number identifying a product or service.		
	VP	Vendor's (seller's) part number		
		Reference number assigned by a vendor/seller identifying an article.		
C212	ITEM NUMBER IDENTIFICATION		C	1
		Goods identification for a specified source.		
	7140	Item identifier	C	an..35
		To identify an item.		
	7143	Item type identification code	C	an..3
		Coded identification of an item type.		
	CC	Industry commodity code		
		The codes given to certain commodities by an industry.		
	CV	Customs article number		
		Code defined by Customs authorities to an article or a group of articles for Customs purposes.		

	HS	Harmonised system The item number is part of, or is generated in the context of the Harmonised Commodity Description and Coding System (Harmonised System), as developed and maintained by the World Customs Organization (WCO).		
	MN	Model number Reference number assigned by the manufacturer to differentiate variations in similar products in a class or group.		
	MP	Product/service identification number Reference number identifying a product or service.		
	VP	Vendor's (seller's) part number Reference number assigned by a vendor/seller identifying an article.		
C212	ITEM NUMBER IDENTIFICATION		C	1
		Goods identification for a specified source.		
	7140	Item identifier To identify an item.	C	an..35
	7143	Item type identification code Coded identification of an item type.	C	an..3
	CC	Industry commodity code The codes given to certain commodities by an industry.		
	CV	Customs article number Code defined by Customs authorities to an article or a group of articles for Customs purposes.		
	HS	Harmonised system The item number is part of, or is generated in the context of the Harmonised Commodity Description and Coding System (Harmonised System), as developed and maintained by the World Customs Organization (WCO).		
	MN	Model number Reference number assigned by the manufacturer to differentiate variations in similar products in a class or group.		
	MP	Product/service identification number Reference number identifying a product or service.		
	VP	Vendor's (seller's) part number Reference number assigned by a vendor/seller identifying an article.		
C212	ITEM NUMBER IDENTIFICATION		C	1
		Goods identification for a specified source.		

7140	Item identifier	C	an..35
	To identify an item.		
7143	Item type identification code	C	an..3
	Coded identification of an item type.		
	CC	Industry commodity code	
		The codes given to certain commodities by an industry.	
	CV	Customs article number	
		Code defined by Customs authorities to an article or a group of articles for Customs purposes.	
	HS	Harmonised system	
		The item number is part of, or is generated in the context of the Harmonised Commodity Description and Coding System (Harmonised System), as developed and maintained by the World Customs Organization (WCO).	
	MN	Model number	
		Reference number assigned by the manufacturer to differentiate variations in similar products in a class or group.	
	MP	Product/service identification number	
		Reference number identifying a product or service.	
	VP	Vendor's (seller's) part number	
		Reference number assigned by a vendor/seller identifying an article.	

Segment: **QTY** Quantity
Position: 0910
Group: Segment Group 22 (Line Item) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 1
Purpose: A segment identifying a specific quantity related to information in LIN.
Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data	Component		Attributes	
	Element	Element		Name	
M	C186		QUANTITY DETAILS	M	1
			Quantity information in a transaction, qualified when relevant.		
M		6063	Quantity type code qualifier	M	an..3
			Code qualifying the type of quantity.		
			131 Delivery quantity		
			Quantity required by buyer to be delivered.		
M		6060	Quantity	M	an..35
			Alphanumeric representation of a quantity.		
		6411	Measurement unit code	C	an..8
			Code specifying the unit of measurement.		

Segment: **PRI** Price Details
Position: 0920
Group: Segment Group 22 (Line Item) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 2
Purpose: A segment identifying price information for a particular line item identified in LIN.
Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>	
C509		PRICE INFORMATION Identification of price type, price and related details.	C	1
M	5125	Price code qualifier Code qualifying a price. INV Invoice price Referenced price taken from an invoice.	M	an..3
	5118	Price amount To specify a price.	C	n..15
	5375	Price type code Code specifying the type of price. CT Contract Code specifying the contract price.	C	an..3

Segment: **MEA** Measurements
Position: 0940
Group: Segment Group 22 (Line Item) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 15
Purpose: A segment identifying secondary quantity information where more than one quantity is required to be reported for a commercial document line.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data	Component	<u>Attributes</u>	
	<u>Element</u>	<u>Element</u> <u>Name</u>		
M	6311	MEASUREMENT PURPOSE CODE QUALIFIER Code qualifying the purpose of the measurement. AAI Item weight Weight at line item level.	M	1 an..3
	C502	MEASUREMENT DETAILS Identification of measurement type.	C	1
	6313	Measured attribute code Code specifying the attribute measured. AAE Item gross weight Gross weight at line item level. AAL Net weight [6160] Weight (mass) of goods including any packing normally going with them to a buyer in a retail sale.	C	an..3
	6154	Non-discrete measurement name Name of a non-discrete measurement.	C	an..70
	C174	VALUE/RANGE Measurement value and relevant minimum and maximum values of the measurement range.	C	1
M	6411	Measurement unit code Code specifying the unit of measurement.	M	an..8
	6314	Measure To specify the value of a measurement.	C	an..18

Segment: **MOA** Monetary Amount
Position: 0960
Group: Segment Group 22 (Line Item) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 15
Purpose: A segment identifying monetary amounts required by customs, but not otherwise captured by the commercial document line value.

Dependency Notes:

Semantic Notes:

Comments:

Data Element Summary

	Data	Component	Attributes	
	<u>Element</u>	<u>Element</u>	<u>Name</u>	
M	C516		MONETARY AMOUNT	M 1
			Amount of goods or services stated as a monetary amount in a specified currency.	
M		5025	Monetary amount type code qualifier	M an..3
			Code qualifying the type of monetary amount.	
			1 VAT, 1st value	
			First VAT value if, for the same rate of VAT, there are 1 to 3 different ways to set this value.	
			52 Discount amount	
			(5014) The amount specified is the discount amount.	
			55 Duty amount	
			The amount of duty.	
			64 Freight charge	
			Amount to be paid for moving goods, by whatever means, from one place to another, inclusive discounts, allowances, rebates, adjustment factors and additional cost relating to freight costs (UN/ECE Recommendation no 23).	
			67 Insurance amount	
			Amount of insurance.	
			80 Licence fees related to imported goods (Customs)	
			Licence fees relating to the imported goods that the buyer must pay, either directly or indirectly, as a condition of sale, to the extent that they are not included in the price actually paid or payable.	
			81 Loading and handling cost	
			Cost incurred by loading and handling.	
			104 Other transport charges	

	(5290) Other charges paid for transport.
108	Parts incorporated in imported goods (Customs) Materials, components, parts and similar items incorporated in the imported goods.
121	Shipment value in domestic currency The cost of transportation in domestic currency.
144	Transport charges (Customs) (5290) Cost incurred by shipper in moving goods, by whatever means, from one place to another under the terms of the contract of carriage, see UN/ECE Recommendation No 23. Synonym: freight charges (Customs).
145	Transport charges incurred outside Customs territory (5290) Transport charges incurred outside a Customs territory (or a Customs union).
146	Unit price (5110) Reporting monetary amount is a "per unit" amount.
155	Standard duty Standard Customs duty that would apply if special provisions did not apply.
161	Duty, tax or fee amount Amount of duty, tax or fee.
186	Material cost The cost of materials needed to complete a task.
189	Packaging cost The cost of packaging an item.
242	Escalation amount Difference between initial amount and current amount.
286	Administration charge Charge made for an administration activity.
291	Foreign inland freight The amount of inland freight incurred in delivering the goods to the place of export.
304	Other charges Miscellaneous charges.
313	International freight The amount of freight paid for moving goods between place of export and place of import.
354	Add to make market value Addition to the base value of an item for customs duty computation purposes.

5004 Monetary amount

C n..35

To specify a monetary amount.

6345 Currency identification code
Code specifying a monetary unit.

C an..3

Segment: **NAD** Name and Address
Position: 0970
Group: Segment Group 22 (Line Item) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 10
Purpose: A segment identifying the parties and addresses relevant to a particular commercial document line. For example, manufacturer, ultimate consignee etc.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	3035		PARTY FUNCTION CODE QUALIFIER Code giving specific meaning to a party. MF Manufacturer of goods [3513] Party who manufactures the goods.	M 1 an..3
	3207		COUNTRY IDENTIFIER Identification of the name of the country or other geographical entity as defined in ISO 3166-1 and UN/ECE Recommendation 3.	C 1 an..3

Segment: **GIR** Related Identification Numbers
Position: 0980
Group: Segment Group 22 (Line Item) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 9999
Purpose: A segment identifying a serial numbers or other related numbers associated with the merchandise on a specific commercial document line.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Data</u>	<u>Component</u>		<u>Attributes</u>
	<u>Element</u>	<u>Element</u> <u>Name</u>		
M	7297	SET TYPE CODE QUALIFIER	Code qualifying the type of set.	M 1 an..3
		1 Product	Identification of the product set.	
M	C206	IDENTIFICATION NUMBER	The identification of an object.	M 1
M		7402 Object identifier	Code specifying the unique identity of an object.	M an..35
		7405 Object identification code qualifier	Code qualifying the identification of an object.	C an..3
		BN Serial number	Identification number of an item which distinguishes this specific item out of a number of identical items.	

Segment: **LOC** Place/Location Identification
Position: 1000
Group: Segment Group 22 (Line Item) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 1
Purpose: A segment identifying a place or location relevant to the line item details for the commercial document.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data	Component	Attributes
	Element	Element Name	
M	3227	LOCATION FUNCTION CODE QUALIFIER Code identifying the function of a location. Refer to D.07A Data Element Dictionary for acceptable code values.	M 1 an..3
	C517	LOCATION IDENTIFICATION Identification of a location by code or name.	C 1
	3225	Location identifier To identify a location.	C an..35
	3224	Location name Name of the location.	C an..256
	5479	RELATION CODE Code specifying a relation.	C 1 an..3

Group: **DOC** Segment Group 23: Document/Message Details
Position: 1010
Group: Segment Group 22 (Line Item) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 10
Purpose: A group of segments identifying customs documentary requirements for a commercial document line item. For example, an import or export license.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
M	1020	DOC	Document/Message Details	M	1	
	1030	DTM	Date/Time/Period	C	2	

Segment: **DOC** Document/Message Details
Position: 1020 (Trigger Segment)
Group: Segment Group 23 (Document/Message Details) Conditional (Optional)
Level: 3
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying a specific customs documentary requirement for a commercial line item.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data	Component	Attributes	
	<u>Element</u>	<u>Element</u> <u>Name</u>		
M	C002	DOCUMENT/MESSAGE NAME	M	1
		Identification of a type of document/message by code or name. Code preferred.		
	1001	Document name code	C	an..3
		Code specifying the document name.		
		105 Purchase order		
		Document/message issued within an enterprise to initiate the purchase of articles, materials or services required for the production or manufacture of goods to be offered for sale or otherwise supplied to customers.		
		351 Despatch advice		
		Document/message by means of which the seller or consignor informs the consignee about the despatch of goods.		
		380 Commercial invoice		
		(1334) Document/message claiming payment for goods or services supplied under conditions agreed between seller and buyer.		
		521 Special requirements permit related to the transport of cargo		
		A permit related to a transport document granting the transport of cargo under the conditions as specifically required.		
		811 Export licence		
		Permit issued by a government authority permitting exportation of a specified commodity subject to specified conditions as quantity, country of destination, etc. Synonym: Embargo permit.		

- 911 Import licence
Document/message issued by the competent body in accordance with import regulations in force, by which authorization is granted to a named party to import either a limited quantity of designated articles or an unlimited quantity of such articles during a limited period, under conditions specified in the document.
- 926 Foreign exchange permit
Document/message issued by the competent body authorizing an importer/buyer to transfer an amount of foreign exchange to an exporter/seller in payment for goods.

1000 Document name **C an..35**
Name of a document.

Segment: **DTM** Date/Time/Period
Position: 1030
Group: Segment Group 23 (Document/Message Details) Conditional (Optional)
Level: 4
Usage: Conditional (Optional)
Max Use: 2
Purpose: A segment identifying dates related to the preceding DOC.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>	
M	C507		DATE/TIME/PERIOD	M	1
			Date and/or time, or period relevant to the specified date/time/period type.		
M		2005	Date or time or period function code qualifier	M	an..3
			Code qualifying the function of a date, time or period.		
		3	Invoice document issue date time [2377] Date of issue of an invoice.		
		11	Despatch date and or time (2170) Date/time on which the goods are or are expected to be despatched or shipped.		
		556	Purchased date Date of purchase.		
		2380	Date or time or period text	C	an..35
			The value of a date, a date and time, a time or of a period in a specified representation.		
		2379	Date or time or period format code	C	an..3
			Code specifying the representation of a date, time or period.		
		102	CCYYMMDD Calendar date: C = Century ; Y = Year ; M = Month ; D = Day.		
		203	CCYYMMDDHHMM Calendar date including time with minutes: C=Century; Y=Year; M=Month; D=Day; H=Hour; M=Minutes.		

Group: **IMD** Segment Group 28: Item Description
Position: 1210
Group: Segment Group 22 (Line Item) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 5
Purpose: A group of segments identifying a commercial description for a documented commodity that is associated with this Customs, item line.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
M	1220	IMD	Item Description	M		1

Segment: **IMD** Item Description
Position: 1220 (Trigger Segment)
Group: Segment Group 28 (Item Description) Conditional (Optional)
Level: 3
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying a documented item via an industry coded format, or a restricted narrative.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
7077		DESCRIPTION FORMAT CODE Code specifying the format of a description.	C 1 an..3
	A	Free-form long description Long description of an item in free form.	
C273		ITEM DESCRIPTION Description of an item.	C 1
	7009	Item description code Code specifying an item. Refer to D.07A Data Element Dictionary for acceptable code values.	C an..17
	7008	Item description Free form description of an item.	C an..256

Group: **PAC** Segment Group 29: Package
Position: 1240
Group: Segment Group 22 (Line Item) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 10
Purpose: A group of segments identifying the number, type, contents and description of the packing units associated with the commercial document line.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
M	1250	PAC	Package	M	1	

Segment: **PAC** Package
Position: 1250 (Trigger Segment)
Group: Segment Group 29 (Package) Conditional (Optional)
Level: 3
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the number and type of packing units particular to a document line.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
7224		PACKAGE QUANTITY To specify the number of packages.	C 1 n..8
C202		PACKAGE TYPE Type of package by name or by code from a specified source.	C 1
	7065	Package type description code Code specifying the type of package.	C an..17

Segment: **UNS** Section Control
Position: 2080
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A service segment placed at the beginning of the summary section to indicate the start of that section.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>	<u>Attributes</u>
M	0081		SECTION IDENTIFIER	M 1 a1
			A character identifying the next section in a message.	
		S	Detail/summary section separation	
			To qualify the segment UNS, when separating the detail from the summary section of a message.	

Segment: **CNT** Control Total
Position: 2090
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 5
Purpose: A segment specifying control totals. For example, the number of commercial documents, the total number of customs item, values, and packages reported in the message.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Data</u>	<u>Component</u>		<u>Attributes</u>
	<u>Element</u>	<u>Element</u> <u>Name</u>		
M	C270	CONTROL	Control total for checking integrity of a message or part of a message.	M 1
M		6069 Control total type code qualifier	Code qualifying the type of control of hash total.	M an..3
		2	Number of line items in message	
			Total number of line items in the message.	
		17	Consignment for customs total amount	
			[5070] Total value declared for Customs purposes of all goods in a consignment, whether or not they are subject to the same Customs procedure, or have the same tariff/statistical heading, country information, and duty regime.	
M		6066 Control total quantity	To specify the value of a control quantity.	M n..18

Segment: **UNT** Message Trailer
Position: 2170
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A service segment ending a message, giving the total number of segments in the message (including the UNH & UNT) and the control reference number of the message.

Dependency Notes:

Semantic Notes:

Comments:

Data Element Summary

	<u>Data</u>	<u>Component</u>		<u>Attributes</u>
	<u>Element</u>	<u>Element</u> <u>Name</u>		
M	0074	NUMBER OF SEGMENTS IN A MESSAGE	Control count of number of segments in a message.	M 1 n..6
M	0062	MESSAGE REFERENCE NUMBER	Unique message reference assigned by the sender.	M 1 an..14